

## Material safety data sheet summary for 'Rapid Coat' preservative

MSDS: 'Rapid Coat'	
<b>Description</b>	A light organic solvent preservative treatment.
<b>First aid</b>	Swallowed: do not induce vomiting – give glass of water. Eye contact: flush with water for 15 mins and contact doctor. Skin contact: wash with soapy water and remove contaminated clothing. Inhaled: remove person to fresh air, keep warm and at rest.
<b>Recommended PPE</b>	Chemical goggles; rubber gloves; respirator with Type A-P filter
<b>Handling precautions</b>	Keep away from sources of ignition. Use only in a well ventilated area. Do not empty into drains. Keep container tightly closed.
<b>Minor spills</b>	Remove ignition source. Clean up the spill immediately. Contain small quantities with sand, earth or vermiculite. Collect residues and seal in a labelled container for later disposal.
<b>Major spills</b>	Evacuate the area and alert the fire brigade. Remove all ignition sources. Wear breathing apparatus and gloves. Prevent spillage from entering drains or water courses. Collect residue and seal in a labelled drum.
<b>Disposal</b>	Consult the distributor for recycling options. Consult the local waste management authority for disposal information.
<b>Storage and transport</b>	Classified as: Dangerous Goods Class 3. Label required: Flammable Liquid. Store in original container under cool, dry conditions, away from sources of ignition and incompatible chemicals. Keep container sealed.
<b>Flammability</b>	Class 3 – high flammable. Extinguish fire with carbon dioxide, dry chemical powder or foam extinguisher.